	NSMITTAL OF SHOP DRAWING, EQUIPM	TENT DATA, MATERIAL	., SAMPLES, OR	DATE	And the second s		TRANSMITTAL	NO.	
IKAI	MANUFACTURE'S CERTIFICAT	ES OF COMPLIANCE	•		10 Ja	n 11.	08 1	1 13.00 3	1-3
	in the twenting on reverse side prior	to initiating this form)	OMING ITEMS (This	ecotion w			<u> </u>	· ·	
	SECTION 1-REQUEST FOR AF	PPROVAL OF THE FULL FROM:	OVVING ITEIVIS (This	CONTRA	II De IIIIIIateu b CT NO:	y the contractor)	CHECK ONE		
	Q.A.B CONSTRUCTION DIV. USAEDFE UNIT #15546 APO AP 96205-0610	KRIMA CONSTRU	•		2009MF	FH0220	TRANSMITT	-SUBMITTAL AL	OF
PECI	FICATION SEC. NO. (cover only one section with each	PROJECT TITLE AND LOCATION	ON: CY07 ROK IN-KIND, F	N N07R2	21		CHECK ONE:TH		
ransm		BACHELOR E	NEISTED QUARTERS CIT	NHAE NA'	VAL DITOL, INC	ACT REFERENCE	FOR FIO	GOV'T. A	FOR
ITEM	DESCRIPTION OF ITEM SUB	MITTED	MFG OR CONTR, CAT.CURVE	OF	D	OCUMENT	CONTRACTOR	(See	CE USE
NO	(Type size, model number/	etc.)	DRAWING OR BROCHURE NO. (See instruction no.8)	COPIES	SPEC PARA NO.	DRAWING SHEET NO.	USE CODE	instruction No.6)	CODE
а.	b .		C.	<u>d.</u>	e. 2.7	A-603 ~ 605	A		······································
7	STEEL FIRE RATED DOOR		Drawing & Data	5	2.1	A-003 - 003		· ·	
a.	TYPE "B" THERMAL INSULATED METAL DOOR	W/ METAL FRAME							
	45Min Fire Rated, U.L Labeled Class "B", #18GA.	Level II, Heavy Duty,					•		
	Formed-In-Place Polyurethane Core, Impact And	Thermal Resistance		ļ					
	Mechanically Interlocked, Hemmed Vertical Edge	Seam, Full Flush Design				51/16/			
	#16GA. Steal Frame Knocked Down Unit, Double	Rabbet				A (F)			
	Concrete Wall Type, 4-Existing Opening Anchor (#EO/S6) Per Each Jamb				11 JAN 2014	121		
	Hot-Dipped Galvanized Steel, Conforming To AS	ГМ A924 & A568			13	II Olivi			
	One Coat OF Oven-Cured Natural color Primer Pa	aint, Conform with ANSIA250.	10		13				
	Cont'd						}		
						(SII)			
REMA	ARKS					ne above submited iter are correct and in strict			
					contract draw	ings and specifications	except as other v	vise stated	
							- 1		
						снод	HUNTEI 700	C:	
						NAME AND SIGN	IATURE OF CON	TRACTOR	i
		SECTION II-APPROV							•
ENCL	OSURES RETURNED(List by Item No.)	NAME, I	TITLE AND SIGNATURE O	F APPRO	CH. OAL	شقيمه ليهجين	DATE 14	Feb	

ENC FORM 1025-R MAR OF

(ER415-1-10)

EDITION OF SEP 93 IS OBSOLETE

SHEET__1_OF__10__

(Proponent/CEMP-CE)

		ACNT DATA MATERIAL	SAMPLES OR	DATE			TRANSMITTAL	NO.	
TRA	NSMITTAL OF SHOP DRAWING, EQUIPM MANUFACTURE'S CERTIFICAT	ES OF COMPLIANCE	, SAMI LLO, OK		O JAI	S 111	08 1	1 13.00 3	1-3
	and the second s	to initiating this tarm)	OMUNO ITEMO	1		the contractor			
	(Read instructions on reverse side prior SECTION 1-REQUEST FOR A	PPROVAL OF THE FOLLS IFROM:	OVVING HEIVIS (Inis	CONTRA	CT NO:	y the contractor)	CHECK ONE		
TO:	Q.A.B CONSTRUCTION DIV. USAEDFE UNIT # 15546	KRIMA CONSTRUC	CTION CORP .		2009MI	FH0220	THIS IS A NE	E-SUBMITTAL	OF
	APO AP 96205-0610		1				TRANSMITT CHECK ONE:TH	AL US TRANSMIT	TAL IS
	FICATION SEC. NO. (cover only one section with each	PROJECT TITLE AND LOCATIO	NN : CY07 ROK IN-KIND, F NLISTED QUARTERS CHI	PN N07R22 NHAE NAV	1 /AL BASE, KO	OREA.		GOV'T. A	
transm		<u></u>	MFG OR CONTR,	NO	CONTR	ACT REFERENCE	FOR	VARIATION (See	FOR CE
ITEM NO	DESCRIPTION OF ITEM SUB (Type size, model number.		CAT.CURVE DRAWING OR BROCHURE NO. (See instruction no.8)	OF COPIES	SPEC PARA NO.	DOCUMENT DRAWING SHEET NO.	CONTRACTOR USE CODE	instruction No.6)	USE CODE
a.	b		C.	d.	е.	<u>f.</u> ,.	<i>g.</i>	h.	<u>i.</u>
	Frame Size: 45mm Face & 146mm Depth w/ 13n	nm Backbend			:				
	Slim Trim Vision Kit for 100mm x 600mmVisible S	Size w/ Fire Rated Wire Glass							
	R. Opening Size: 1000mmW x 2150mmH	·							
	Door Size: 900mmW x 2100mmH x 44.5mmTHK	RHR-3Sets							
	Model : SAMHOON "FG" Type Door								
	Steel Frame With DSN Wall Anchor Type								
	MFR : SAMHOON Co., Ltd.								
	P.O.U: STAIR#2 TO CORRIDOR-1(106) DOOR I	No.:D-4				•			
	STAIR#2 TO CORRIDOR-2(209) DOOR I	No.:D-8							·
	STAIR#2 TO CORRIDOR-3(303) DOOR	No.:D-19							
REM	ARKS				in detail and	he above submited iter are correct and in strict vings and specifications	conformance with	n the	
						CH ơ ,	JUNKI/CO	C	
						NAME AND SIGI	NATURE OF CON	ITRACTOR	
***************************************		SECTION II-APPROVA							
ENCL	OSURES RETURNED(List by Item No.)	NAME, T	TTLE AND SIGNATURE O	E APPROL	ANG AUTHOR	रा т Ү 	DATE 14 Fe	611	
p) 長別 125.0 mm	E TO THE FOULTON	OF SEP 93 IS OBSOLETE		Sheet v		10- ₁ -	ne EMP-(C≡1

)長例 235-0 M 1

	。 NSMITTAL OF SHOP DRAWING, EQUIPM	ENT DATA MATERIAI	SAMPLES. OR	DATE			TRANSMITTAL	NO.	
TRA	MANUFACTURE'S CERTIFICATE	S OF COMPLIANCE	_, _ ,, -		10. JA	AN 'H.	08 1	1 13,00 3	1-3-
	(Doed instructions on reverse side prior t	o initiating this form)	OMING ITEMS /This	anotion W			<u> </u>		
	SECTION 1-REQUEST FOR AP	PROVAL OF THE FOLI	_OVVING HEIVIS (TRIS	CONTRA	ACT NO:	y the contractory	CHECK ONE		
TO:	Q.A.B CONSTRUCTION DIV. USAEDFE UNIT # 15546 APO AP 96205-0610	KRIMA CONSTRU			2009MI	FH0220	THIS IS A NE THIS IS A RE TRANSMITT	-SUBMITTAL AL	OF
SPEC	IFICATION SEC. NO. (cover only one section with each	PROJECT TITLE AND LOCATI	ON : CY07 ROK IN-KIND, F	N N07R2	21		CHECK ONE:TH		
transm		BACHELOR E	NLISTED QUARTERS CHI	NHAE NA	VAL BASE, NO	ACT REFERENCE	FOR FOR	GOV'T. A	FOR
ITEM NO	DESCRIPTION OF ITEM SUBM (Type size, model number/e		CAT.CURVE DRAWING OR BROCHURE NO. (See instruction no.8)	OF COPIES	SPEC PARA NO.	OCUMENT DRAWING SHEET NO.	CONTRACTOR USE CODE	(See instruction No.6) h.	CE USE CODE
a.	b ·		<u> </u>	<u>d.</u>	e		<i>y</i> .	11.	
b.	TYPE "B" THERMAL INSULATED METAL DOOR	W/ METAL FRAME		 					
	45Min Fire Rated, U.L Labeled Class "B", #18GA. I	evel II, Heavy Duty,							
	Formed-In-Place Polyurethane Core, Impact And	Thermal Resistance		<u></u>		<u> </u>		· · · · · ·	
	Mechanically Interlocked, Hemmed Vertical Edge S	Seam, Full Flush Design						•	
	#16GA. Steal Frame Knocked Down Unit, Double F	Rabbet							
	Concrete Wall Type, 4-Existing Opening Anchor (#	EO/S6) Per Each Jamb				<u></u>			
	Hot-Dipped Galvanized Steel, Conforming To AST	M A924 & A568							
	One Coat OF Oven-Cured Natural color Primer Pa	int, Conform with ANSIA250	.10						· · · · · · · · · · · · · · · · · · ·
	Cont'd								
				,				•	
REM	ARKS				in detail and a	ne above submited iten are correct and in strict ings and specifications	conformance with	the	•
						Ċ.I.O.	2271		
						NAME AND SIGN	ATURE OF CON		
anny committee (1)		SECTION II-APPROV	ΔΙ ΔCTION			NAME AND SIGN	JATORE OF GOIN		······································
ENCL	OSURES RETURNED(List by Item No.)		TITLE AND SIGNATURE O	F APPRO	VING AUTHOR	IITY	DATE		
			Dus	KI	CH GA	B.	14F.	eb/1	

ENC FORM 4025-R MAR OF

(EP415-1-10)

EDITION OF SEP 93 IS OBSOLETA

SHEET 3_OF_10_____ (Proponent CEMP-CE)

RAN	NSMITTAL OF SHOP DRAWING, EQUIPN MANUFACTURE'S CERTIFICAT (Read instructions on reverse side prior	to initiating this form)		DATE	10 JA		TRANSMITTAL 08 1	1 13.00 3	1 - 3
(*************************************	SECTION 1-REQUEST FOR AF	PROVAL OF THE FOL	LOWING ITEMS (This	contra	II be initiated b	y the contractor)	CHECK ONE		
	Q.A.B CONSTRUCTION DIV. USAEDFE UNIT # 15546 APO AP 96205-0610	FROM: KRIMA CONSTR			2009MF	FH0220	THIS IS A NE THIS IS A RE TRANSMITI	E-SUBMITTAL F <mark>AL</mark>	. OF
PECI	FICATION SEC. NO. (cover only one section with each	PROJECT TITLE AND LOCAT	TION : CY07 ROK IN-KIND, F	PN N07R22	21		CHECK ONE:TH	IIS TRANSMI GOV'T.	
ansm		BACHELOR	ENLISTED QUARTERS CHI	NHAE NA	VAL BASE, KC	ACT REFERENCE	FOR	VARIATION	FOR
TEM NO	DESCRIPTION OF ITEM SUB (Type size, model number/		CAT.CURVE DRAWING OR BROCHURE NO.	OF COPIES		OCUMENT DRAWING SHEET NO.	CONTRACTOR USE CODE	(See instruction No.6)	CE USE CODE
	b		(See instruction no.8) c.	d.	e.	<u>f.</u>	g.	h.	i.
a	Frame Size: 45mm Face & 146mm Depth w/ 13m	m Backbend				et			
	R. Opening Size : 1000mmW x 2150mmH								
	Door Size: 900mmW x 2100mmH x 44.5mmTHK	RHR-1Set							
	Door Size : 900mmvv x 2100mm x 44.5mm r in	Time root							
	Model : SAMHOON "FD" Type Door								
	Steel Frame With DSN Wall Anchor Type								ļ
	MFR : SAMHOON Co., Ltd.							<u>; </u>	ļ
	P.O.U: EXT. TO OPEN OFFICE-1(202)(208) DOC	PR No.:D-10							
									<u> </u>
EMA	ARKS				in detail and a	ne above submited iter are correct and in strict rings and specifications	conformance with	h the	
						CH ố,	JUNKI/¢Q		
			and the same of th			NAME AND SIGN	<u></u>	ITRACTOR	
		SECTION II-APPRO				NEV			
NCL	OSURES RETURNED(List by Item No.)	NAME <	TITLE AND SIGNATURE O	OF APPRO	VING AUTHOR		14 F	eb1/	•

		THE DATA MATERIAL	CAMPLES OF	DATE			TRANSMITTAL I	NO.	
TRÁI	NSMITTAL OF SHOP DRAWING, EQUIPM MANUFACTURE'S CERTIFICATI	ES OF COMPLIANCE	, SAMPLES, OK		IO JA	(N) 11	08 1	1 13.00 3	1 - 3
	(Read instructions on reverse side prior SECTION 1-REQUEST FOR AP	to initiating this form	OWING ITEMS (This	section wi	Il he initiated h	v the contractor)			
	SECTION 1-REQUEST FOR AP	FROVAL OF THE FULL	OVVING FICINIS (TIIIS	CONTRA	CT NO:	<i>y</i> and demonstra	CHECK ONE		
	Q.A.B CONSTRUCTION DIV. USAEDFE UNIT # 15546 APO AP 96205-0610	KRIMA CONSTRUC			2009 M I	FH0220	THIS IS A NE THIS IS A RE TRANSMITT	-SUBMITTAL AL	OF
SPECI	FICATION SEC. NO. (cover only one section with each	PROJECT TITLE AND LOCATIO	N : CY07 ROK IN-KIND, P	N N07R22	21	DEV.	CHECK ONE:TH	GOV'T. A	
transm		BACHELOR EN	NLISTED QUARTERS CHI	NHAE NA	CONTR	ACT REFERENCE	FOR	VARIATION	FOR
ITEM NO	DESCRIPTION OF ITEM SUBI (Type size, model number/e		CAT.CURVE DRAWING OR BROCHURE NO.	OF COPIES	SPEC PARA NO.	DCUMENT DRAWING SHEET NO.	CONTRACTOR USE CODE	(See instruction No.6)	CE . USE CODE
	h		(See instruction no.8) c.	d.	е.	f.	g,	h.	<u>. i.</u>
<u>a.</u> C.	TYPE "C" METAL FIRE RATED DOOR W/ METAL	FRAME							· · · · · · · · · · · · · · · · · · ·
	60Min Fire Rated, U.L Labeled Class "B", #18GA.	······································			-				
	Formed-In-Place Ceramicwool Core, Impact And								
	Mechanically Interlocked, Hemmed Vertical Edge				·		•		
	#16GA. Steal Frame Knocked Down Unit, Double								
	Concrete Wall Type, 4-Existing Opening Anchor (#				Ξ.				
	Hot-Dipped Galvanized Steel, Conforming To AST								
	One Coat OF Oven-Cured Natural color Primer Pa		10						
	Cont'd								
REM	ARKS				in detail and		conformance with	n the wise stated	
							funki/co		
				2011110011110		NAME AND SIGN	NATURE OF CON	ITRACTOR	
		SECTION II-APPROV				7)774	TDATE		
ENCL	OSURES RETURNED(List by Item No.)	NAME, I	TITLE AND SIGNATURE O	F APPRO	CH, OF		DATE 14 A	eb1	
Mark Company		ve 1110 EDITION	FOR SEP 93 IS OBSOLUTE	and the second s	SHEET 5		· ′Proc	or EMP-	CE)

	NSMITTAL OF SHOP DRAWING, EQUIPM	MENT DATA MATERIAL	. SAMPLES, OR	DATE	(Malayana da Garaga da Araba da Araba		TRANSMITTAL	NO.	
TRA	MANUFACTURE'S CERTIFICAT	ES OF COMPLIANCE	, , , , , , , , , , , , , , , , , , , 		AL O	N'II	08 1	1 13.00 3	1 - 3
	- vi vi di a reverso pido prior	to initiating this form)	OMINO ITEMS (T)		Uha initiatad b	is the contractor)	<u> </u>		***************************************
	SECTION 1-REQUEST FOR AF	PPROVAL OF THE FOLL IFROM:	OVVING ITEIVIS (This	CONTRA	CT NO:	y the contractor)	CHECK ONE		
TO:	Q.A.B CONSTRUCTION DIV. USAEDFE UNIT # 15546	KRIMA CONSTRU	ICTION CORP .		2009MF	-H0220		E-SUBMITTAL	
	APO AP 96205-0610		OVER DOMESTICATION OF THE PROPERTY OF THE PROP	ON NOTES	<u> </u>		TRANSMIT		ITAL IS
	FICATION SEC. NO. (cover only one section with each	PROJECT TITLE AND LOCATION BACHELOR E	ON : CYU7 ROK IN-KIND, F ENLISTED QUARTERS CHI	NHAE NA	/AL BASE, KC	DREA.	FOR FIO	GOV'T. A	
transn ITEM	nittal) 08 11 13.00 31 DESCRIPTION OF ITEM SUB		MFG OR CONTR,	NO	CONTR	ACT REFERENCE OCUMENT	FOR CONTRACTOR	VARIATION (See	FOR CE
NO	(Type size, model number/		CAT.CURVE DRAWING OR BROCHURE NO. (See instruction no.8)	OF COPIES	SPEC PARA NO.	DRAWING SHEET NO.	USE CODE	instruction No.6)	USE CODE
a	b		<i>c.</i>	d.	е.	<u>f.</u>	g.	h.	1.
	Frame Size : 45mm Face & 146mm Depth w/ 13m	nm Backbend							
	Slim Trim Vision Kit for 100mm x 600mmVisi	ble Size w/Fire Glass							
	R. Opening 1000mmW x 2150mmH								
	Door Size 900mmW x 2100mmH x 44.5mmTHK F	RHR-2Sets LHR-1Set							
	Model : SAMHOON "FG" Type Door								
	Steel Frame With DSN Wall Anchor Type								
	MFR : SAMHOON Co., Ltd.								
	P.O.U: CORRIDOR-1(106) TO STAIR#1 DOOR	No.:D-5					·		
	STAIR#1 TO CORRIDOR-2(209)) DOOR	No.:D-11							
	STAIR#1 TO CORRIDOR-3(303)) DOOR	No.:D-20							
					I certify that t	ne above submited iten	ns have been rev	iewed	
REM	ARKS				in detail and a	are correct and in strict rings and specifications	conformance wit	h the	
						CHO,	JUN FI 766	OC	
	·					NAME AND SIGN			
hamilton property of		SECTION II-APPROV	AL ACTION						
ENCL	OSURES RETURNED(List by Item No.)		TITLE AND SIGNATURE O	F APPRO	/ING AUTHOF	RITY	DATE		
			Drug	KE	CH, OF	B	147	Eb11	/
Protest Contract		a a ve namo	7 - 41 STR 03 14 OBSOLET	anagygyallist tillikkan nagyayara	SHEET	5.5. 4. 9	Dage	are 15/12.(057

HONTON HISTORISH (1985) HIT SHEET / 2 (27 110)

- ODY OF - 12

	ACUT DATA BRATEDIAL	CAMPLES OR	DATE			TRANSMITTAL	NO.	
TRANSMITTAL OF SHOP DRAWING, EQUIP MANUFACTURE'S CERTIFICA	MENT DATA, MATERIAL, TES OF COMPLIANCE	, SAIVIFEES, OR		10 JA	N '11	08 1	1 13.00 3	1-3
* 4 ·	t= initiating this form)		<u> </u>		·.			
(Read instructions on reverse side pric SECTION 1-REQUEST FOR A	PPROVAL OF THE FOLL	OWING ITEMS (This	CONTRA	II be initiated by .CT NO:	the contractor)	CHECK ONE		•
TO: Q.A.B CONSTRUCTION DIV. USAEDFE UNIT # 15546	FROM: KRIMA CONSTRUC	CTION CORP		2009MF	H0220	THIS IS A NE	-SUBMITTAL	TAL OF
APO AP 96205-0610	•					TRANSMITT	AL	
SPECIFICATION SEC. NO. (cover only one section with each	PROJECT TITLE AND LOCATIO	N : CY07 ROK IN-KIND, F ILISTED QUARTERS CHI	N NO7R22	21 Zalbase KO	REA		GOV'T. A	
transmittal) 08 11 13.00 31	BACHELOR EN	MFG OR CONTR,	NO	CONTRA	ACT REFERENCE .	FOR ·	VARIATION	FOR CE
NO DESCRIPTION OF ITEM SUI (Type size, model numbe		CAT.CURVE DRAWING OR BROCHURE NO.	OF COPIES	SPEC PARA NO.	OCUMENT DRAWING SHEET NO.	CONTRACTOR USE CODE	(See instruction No.6)	USE CODE
, b		(See instruction no.8) c.	d.	е.	<u>f.</u>	g.	h	<u>.</u>
d. TYPE "C" METAL FIRE RATED DOOR W/ META	AL FRAME							
20Min Fire Rated, U.L Labeled Class "B", #18GA								
Formed-In-Place Ceramicwool Core, Impact And								
Mechanically Interlocked, Hemmed Vertical Edge								·
#16GA. Steal Frame Knocked Down Unit, Double								
Concrete Wall Type, 4-Existing Opening Anchor					<u> </u>			
Hot-Dipped Galvanized Steel, Conforming To AS								
One Coat OF Oven-Cured Natural color Primer I	Paint, Conform with ANSIA250.1	10						
Cont'd								
REMARKS			iyu ku ya 2017	in detail and a	ne above submited ited are correct and in strict ings and specifications	conformance wit	h the	
					СН о	Junki760	QC .	
					NAME AND SIG	NATURE OF CON	ITRACTOR	
	SECTION II-APPROVA							
ENCLOSURES RETURNED(List by Item No.)	NAME, T	ITLE AND SIGNATURE C	F APPRO	VING AUTHOR	AB	DATE / 4 7	-eb1/	
July 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	er e e EDITION	COL SEP 93 IS OBSOLETION	a ja	SUEET	_CF10	'Pror	or of CEMP-0	CE)

T'RÀI	NSMITTAL OF SHOP DRAWING, EQUIPI MANUFACTURE'S CERTIFICA	res of complial reto initiating this form	NCE	DATE		AN '11	TRANSMITTAL 08 1	NO. 1 13.00 3 °	1 - 3
	(Read instructions on reverse side prior SECTION 1-REQUEST FOR A	PPROVAL OF THE	FOLLOWING ITEMS (This	contra	I be initiated b	y the contractor)	CHECK ONE		
	Q.A.B CONSTRUCTION DIV. USAEDFE UNIT # 15546 APO AP 96205-0610		NSTRUCTION CORP .		2009MF	FH0220	THIS IS A NE THIS IS A RE TRANSMIT	E-SUBMITTAL FAL	OF .
SPECI	FICATION SEC. NO. (cover only one section with each	PROJECT TITLE AND	LOCATION : CY07 ROK IN-KIND, F	N N07R22	21	ADE A	CHECK ONE:TH	HIS TRANSMIT GOV'T. A	
transm		BACH	HELOR ENLISTED QUARTERS CHI MFG OR CONTR,	NHAE NA		ACT REFERENCE	FOR FOR	VARIATION	FOR
ITEM NO	DESCRIPTION OF ITEM SUE (Type size, model number		CAT.CURVE DRAWING OR BROCHURE NO. (See instruction no.8)	OF COPIES		OCUMENT DRAWING SHEET NO.	CONTRACTOR USE CODE	(See instruction No.6) h.	CE USE CODE
a.	b	Daalsband	C.	- U	<u>ç.</u>				• .
	Frame Size : 45mm Face & 146mm Depth w/ 13r	nm backbend							<u> </u>
	R. Opening Size : 1000mmW x 2150mmH								<u> </u>
	Door Size: 900mmW x 2100mmH x 44.5mmTHr	(RHR-2Sets						•	
	Model : SAMHOON "FD" Type Door								
	Steel Frame With DSN Wall Anchor Type	Э							
	MFR : SAMHOON Co., Ltd.						7		
	P.O.U: CORRIDOR-2(209) TO COMM.ROOM(20	08) DOOR No.:D-12							
	CORRIDOR-3(303) TO COMM.ROOM(30	02)) DOOR No.:D-21							·
REM	 ARKS				in detail and a	ne above submited ite are correct and in stric rings and specification	conformance wit	h the	1
						CHO,	JUNKI 7C)C	
						NAME AND SIG	NATURE OF CON	ITRACTOR	
		SECTION II-AF	PPROVAL ACTION						
ENCL	OSURES RETURNED(List by Item No.)		NAME, TITLE AND SIGNATURE C	F APPRO	VING AUTHOR	***************************************	14 F	Febl,	/
(MANUAL PROPERTY CO.)	Special Section 1984 Constitution	egrovens en he	EDITION OF SEP 93 IS OBSOLETE		SHEET 8		'Pror	or TEMP-(رے(

Jane Strain

			ه هي د د د د د د د د د د د د د د د د د د	and the second					
FRA	NSMITTAL OF SHOP DRAWING, EQUIPM MANUFACTURE'S CERTIFICAT (Read instructions on reverse side prior	TES OF COMPLIANCE			IO JA		TRANSMITTAL 08 1	NO. 1 13.00 3	1 -3
	(Read instructions on reverse side prior SECTION 1-REQUEST FOR AI	PPROVAL OF THE FOLI	LOWING ITEMS (This	section wi	ill be initiated b	by the contractor)	TOUTON ONE		
ro:	J. J	FROM:		CONTRA	ACT NO:		CHECK ONE		
	Q.A.B CONSTRUCTION DIV. USAEDFE UNIT # 15546 APO AP 96205-0610	KRIMA CONSTRU	1.			FH0220	THIS IS A NE THIS IS A RE TRANSMIT CHECK ONE:TE	E-SUBMITTAL AL	. OF
SPEC	FICATION SEC. NO. (cover only one section with each	PROJECT TITLE AND LOCATI	ION : CY07 ROK IN-KIND, I ENLISTED QUARTERS CH	INHAE NA'	ZT VAL BASE, KO	OREA.	FOR FIO		
transm			MFG OR CONTR.	NO	CONTR	RACT REFERENCE	FOR	VARIATION	FOR
ITEM NO	DESCRIPTION OF ITEM SUB (Type size, model number,		CAT.CURVE DRAWING OR	OF COPIES	SPEC PARA NO.	DOCUMENT DRAWING SHEET NO.	CONTRACTOR USE CODE	(See instruction No.6)	CE USE CODE
	h		BROCHURE NO. (See instruction no.8)	d.	e.	f	g.	h.	· i.
<u>а.</u> е.	TYPE "C" METAL FIRE RATED DOOR W/ META	L FRAME							
	45Min Fire Rated, U.L Labeled Class "B", #18GA.	. Level II, Heavy Duty,							
	Formed-In-Place Ceramicwool Core, Impact And	Thermal Resistance							
	Mechanically Interlocked, Hemmed Vertical Edge	Seam, Full Flush Design				t			
,	#16GA. Steal Frame Knocked Down Unit, Double	e Rabbet							
	Dry Wall Type, 1/8" Increments with Steel Stud A	nchor							
	Hot-Dipped Galvanized Steel, Conforming To AS	TM A924 & A568					4		
	One Coat OF Oven-Cured Natural color Primer P	aint, Conform with ANSIA250).10						<u></u>
	Cont'd					·			
					·				
									1.
REM	ARKS				in detail and	the above submited iter are correct and in stric wings and specification	t conformance wit	h the	
	,		•			СНО	TUNKE/CO) C	
						NAME AND SIG	NATURE OF CON	ITRACTOR	
***************************************		SECTION II-APPRO		par aquipidabili a say p					
ENCI	OSURES RETURNED(List by Item No.)	· NAME,	TITLE AND SIGNATURE O	F APPRO	3		DATE /4 F	eb (/	
		The second secon	A SEB 03 IS OBSUM	7)	CH, OA	5B	100	ons EVP	·CE/

PN N07R22	Il be initiated to CT NO: 2009M 21 VAL BASE, KO CONTE	Py the contractor) FH0220 OREA. RACT REFERENCE DOCUMENT. DRAWING SHEET NO: f.	CHECK ONE THIS IS A NE TRANSMITT CHECK ONE TH FOR ☐ FIO FOR CONTRACTOR USE CODE	SUBMITTAL AL	TTAL . OF TTAL IS APPROVAL
PN N07R22 HINHAE NA' NO OF COPIES	2009M VAL BASE, KO CONTR CONTR SPEC PARA NO.	FH0220 OREA. RACT REFERENCE DOCUMENT. DRAWING SHEET NO:	THIS IS A NETTHIS IS A RETTHIS IS A RET	SUBMITTAL AL HIS TRANSMI GOV'T. A VARIATION (See instruction No.6)	TTAL IS APPROVAL FOR CE USE
PN N07R22 HINHAE NA' NO OF COPIES	2009M VAL BASE, KO CONTR CONTR SPEC PARA NO.	FH0220 OREA. RACT REFERENCE DOCUMENT. DRAWING SHEET NO:	THIS IS A NETTHIS IS A RETTHIS IS A RET	SUBMITTAL AL HIS TRANSMI GOV'T. A VARIATION (See instruction No.6)	TTAL IS APPROVAL FOR CE USE
NO OF COPIES	21 VAL BASE, KO CONTE SPEC PARA NO.	OREA. RACT REFERENCE DOCUMENT. DRAWING SHEET NO:	THIS IS A RETRANSMITT CHECK ONE:TH FOR FIO FOR CONTRACTOR	SUBMITTAL AL HIS TRANSMI GOV'T. A VARIATION (See instruction No.6)	TTAL IS APPROVAL FOR CE USE
NO OF COPIES	CONTE SPEC PARA NO	PACT REFERENCE DOCUMENT. DRAWING SHEET NO:	FOR FIO FOR CONTRACTOR	GOV'T. A VARIATION (See instruction No.6)	APPROVAL FOR CE USE
NO OF COPIES	CONTE SPEC PARA NO	PACT REFERENCE DOCUMENT. DRAWING SHEET NO:	FOR CONTRACTOR	VARIATION (See instruction No.6)	FOR CE USE
OF COPIES	SPEC PARA NO.	DOCUMENT DRAWING SHEET NO: f		instruction No.6)	USE
	PARA NO.	SHEET NO:	g		CODE
O.	6.				
	ļ				
					1
		· · · · · ·			
	<u> </u>				
				<u> </u>	
					<u> </u>
				· · ·	
				1.:	<u> </u>
	in detail and	are correct and in stric	t conformance wit	h the	
		СНО	2271 JUNKI/CC	QC .	
		NAME AND SIG	NATURE OF CO	NTRACTOR.	
OF APPRO	VING AUTHO	ORITY CAB	DATE / 4 /	Feb.	!
	FKZ	in detail and contract dra	in detail and are correct and in stric contract drawings and specification CHO NAME AND SIG	I certity that the above submited items have been revin detail and are correct and in strict conformance wit contract drawings and specifications except as other CHO, JUN KI / CO NAME AND SIGNATURE OF COM E OF APPROVING AUTHORITY DATE L.C. L.C.	I certity that the above submitted items have been reviewed in detail and are correct and in strict conformance with the contract drawings and specifications except as other wise stated CHO, JUN KI / CQC NAME AND SIGNATURE OF CONTRACTOR E OF APPROVING AUTHORITY DATE H. GAB CROSSENSE CEMP.